

# Fluid aspiration system BVC basic



Link to the website

### **Product description**

The BioChem-VacuuCenter BVC basic is designed for connection to an existing external vacuum source like a diaphragm pump or a vacuum network (e.g., VACUU·LAN®) and does not require electric power. The chemical-resistant mechanical vacuum controller always ensures an optimal operating vacuum. The controller opens only when needed thus limiting the gas load on the vacuum source. The evaporation of collected liquid is minimized. The inlet tubing integrated in the bottle head reduces aerosol and foam formation and ensures a long service life of the hydrophobic protection filter. The aspiration system is available either as BVC basic with 4l PP bottle or as BVC basic G with 2l coated borosilicate glass bottle.

#### Performance features

- mechanical vacuum regulator and integrated check valve to provide optimum working vacuum and minimize the vapor load on the vacuum network
- stable base and electricity-free operation for convenience
- autoclavable collection bottle designed to reduce aerosol and foam formation; autoclavable quick-couplings available as accessory
- aspiration hand set VacuuHandControl (VHCpro) with flow-through suction tube no contamination of handle by aspirated media
- hydrophobic 0.2 µm sterilizable filter contamination risks for the vacuum pumping system are greatly reduced; autoclavable as complete unit together with the collection bottle



# **Ordering data**

Product name	Nominal mains voltage   mains frequency	Plug type	Articleno.
BVC basic			20727000

# **Items supplied**

Complete fluid aspiration system for existing vacuum source, with automatic vacuum control, hose nozzle DN 6/10 mm for connection to a vacuum supply, aspiration hand set VacuuHandControl VHC<sup>pro</sup>, collection bottle, protection filter and manual.

#### Accessories

- VacuuHandControl VHC<sup>pro</sup> (20688061)
- BVC 4l bottle PP BVC (20635810)
- Bottle 4L PP with cap, unmachined (w/o filter, connection for hose, blind plug) BVC Bottle (20638246)
- Table stand for VHC<sup>pro</sup> VHC<sup>pro</sup> (20635680)
- 8-channel tip adapter with ejector, for VacuuHandControl VHCpro BVC (20635679)


#### **Technical data**


Vacuum controller	Mechanical vacuum controller	
Collection bottle	4l Polypropylene	
Permissible ambient temperature range (operation)	10 - 40 °C	
Permissible ambient temperature range (storage)	-10 - 60 °C	
Max. outlet pressure (abs.)	1.1 bar	
Inlet connection	Suction controller	
Outlet connection	Hose nozzle DN 6-10 mm	
Protection class IEC 60529	IP 54	
Dimensions (L x W x H)	250 mm x 200 mm x 490 mm	
Weight	2.8 kg	
NRTL certification	No	

# **VACUUBRAND®**


# **Dimension sheet**







Gewicht / weight: 2,8 kg Alle Maße / all dimensions (mm)



VACUUBRAND BVC basic Version 2012/10/09

© VACUUBRAND GMBH + CO KG

VACUUBRAND GMBH + CO KG P.O. Box 1664 97877 Wertheim T +49 9342 808 5550

F +49 9342 808 5555

info@vacuubrand.com www.vacuubrand.com

**VACUU**BRAND®

VACUUBRAND is part of the Brand group, a manufacturer of high-quality and innovative laboratory equipment and vacuum technology with a global team of approx. 1,000 employees.

With highly motivated and qualified employees, we manufacture the world's most comprehensive product family for vacuum generation, measurement and control for the rough and fine vacuum range in the laboratory.

#### All with one goal:

Enabling our customers to run reliable, safe and efficient processes. This is why we commit ourselves to continuous innovation, first-class performance, and outstanding quality.

Engineering excellence is central to our ability to deliver products and solutions renowned for their quality, durability, and reliability. Innovative technology, high quality materials and extensive testing deliver unmatched performance - engineered and manufactured in Germany.

Together with you, our experts will find the best solution for your application and provide you with first-class service along the way.

BRAND (Shanghai) Trading Co., Ltd. Shanghai, China

T +86 21 6422 2318 info@brand.com.cn china.brand.com.cn

BRAND Scientific Equipment Pvt. Ltd. Mumbai, India

T+91 22 42957790 customersupport@brand.co.in www.brand.co.in BRANDTECH® Scientific, Inc. Essex, CT. United States of America

T +1 860 767 2562 info@brandtech.com www.brandtech.com

